



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((passive and optical and network and encryption)<in>metadata)) <and> (pyr >= 1950 &..."

e-mail
 printer friendly

Your search matched 3 of 1613146 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. **Design of quantum cryptography systems for passive optical networks**
Townsend, P.D.; Phoenix, S.J.D.; Blow, K.J.; Barnett, S.M.;
[Electronics Letters](#)
Volume 30, Issue 22, 27 Oct. 1994 Page(s):1875 - 1877
[AbstractPlus](#) | Full Text: [PDF\(264 KB\)](#) IET JNL
- ☐ 2. **Insecurity in ATM-based passive optical networks**
Thomas, S.; Wagner, D.;
[Communications, 2002. ICC 2002. IEEE International Conference on](#)
Volume 5, 28 April-2 May 2002 Page(s):2803 - 2805 vol.5
Digital Object Identifier 10.1109/ICC.2002.997353
[AbstractPlus](#) | Full Text: [PDF\(200 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **An encryption scheme for high speed passive optical networks**
Polemi, D.; Koulouris, J.; Angelopoulos, J.;
[High-Performance Communication Systems, 1997. \(HPCS '97\) The Fourth IEEE Workshop on](#)
23-25 June 1997 Page(s):186 - 193
[AbstractPlus](#) | Full Text: [PDF\(500 KB\)](#) IEEE CNF
[Rights and Permissions](#)

 Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((pon and encryption)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)"

Your search matched 1 of 1613146 documents.

[e-mail](#) [printer friendly](#)A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)**Modify Search**

(((pon and encryption)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)

Search >☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[view selected items](#)[Select All](#) [Deselect All](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

- ☐ 1. **Design of quantum cryptography systems for passive optical networks**
Townsend, P.D.; Phoenix, S.J.D.; Blow, K.J.; Barnett, S.M.;
[Electronics Letters](#)
Volume 30, Issue 22, 27 Oct. 1994 Page(s):1875 - 1877
[AbstractPlus](#) | Full Text: [PDF\(264 KB\)](#) IET JNL

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((point and multipoint and encryption)<in>metadata)) <and> (pyr >= 1950 <and> ..."

Your search matched 1 of 1613146 documents.

[e-mail](#) [printer friendly](#)A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((point and multipoint and encryption)<in>metadata)) <and> (pyr >= 1950 <and> pyr

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. COTS satellite-terrestrial broadcast system for deployed communications
Segura, R.;
[MILCOM 2002. Proceedings](#)
Volume 1, 7-10 Oct. 2002 Page(s):178 - 183 vol.1
[AbstractPlus](#) | Full Text: [PDF\(788 KB\)](#) IEEE CNF
[Rights and Permissions](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	76467	(passive near3 optical near3 network) or PON or EPON	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:06
L2	76467	(passive near3 optical near3 network) or "PON " or "EPON "	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:07
L3	12218	L2 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:26
L4	201	L3 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:08
L5	74	L4 and ("IV " or vector) and (CRC or check\$3 or checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:50
L6	73	L5 and (multipoint or multicast or multiple or several)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:10
L7	7	((tag\$4 or field or mark\$3 or designat\$3 or field or indicat\$3) with encrypt\$3) and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:15
L8	2813	((transfer\$4 or relay\$3 or send\$3 or deliver\$3 or transmit\$4 or provid\$3) with ((secur\$3 with data) or key\$3 or secret or code or PIN or password)) and ((point or target or source) with multipoint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:18

EAST Search History

L9	83	L8 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:18
L10	57	L9 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:19
L11	39	L10 and tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:21
L12	179	(point with multipoint) and Ethernet and encrypt\$3 and tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:25
L13	123	L12 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:49
L14	70	L13 and ("IV " or vector) and (CRC or check\$3 or checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:23
L15	1	((point with multipoint) and Ethernet and encrypt\$3 and tag).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:25
L16	1	((point with multipoint) and Ethernet and encrypt\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:25

EAST Search History

L17	20	((point with multipoint) and encrypt\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:26
L18	12	L17 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:27
L19	3	L18 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:46
L20	2	("7031343").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/17 09:48
L21	0	L20 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:47
L23	7661	(point near3 multipoint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:49
L24	1314	L23 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:49
L25	850	L24 and @ad<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:49

EAST Search History

L26	233	L25 and ("IV " or vector) and (CRC or check\$3 or checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:50
L27	65	L26 and (key with (synchronizat\$3 or synchroniz\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 09:52

Interference Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	237	713/160.ccls. and @ad<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 11:58
L2	389	380/278.ccls. and @ad<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 11:58
L3	405	713/150.ccls. and @ad<"20021002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:16
L4	988	(L1 or L2 or L3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 11:59
L5	6219	((second\$3 or subsequent or two or addition\$3) with (ICV or checksum or CRC or check)).clm.	US-PGPUB	OR	ON	2007/07/17 12:16
L6	880	(point near4 multipoint).clm. or (passive with optical with network\$3).clm.	US-PGPUB	OR	ON	2007/07/17 12:16
L7	8	L5 and L6	US-PGPUB	OR	ON	2007/07/17 12:05
L8	38032	(ICV or checksum or CRC or check\$3).clm.	US-PGPUB	OR	ON	2007/07/17 12:07
L9	86	L6 and L8	US-PGPUB	OR	ON	2007/07/17 12:08
L10	19	L9 and @ad<"20021002"	US-PGPUB	OR	ON	2007/07/17 12:15
L11	2	("7142544").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/17 12:10
L13	0	L10 and encrypt\$4.clm.	US-PGPUB	OR	ON	2007/07/17 12:15

Interference Search

EAST Search History

L14	21888	((second\$3 or subsequent or two or addition\$3) with (ICV or checksum or CRC or check)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:16
L15	1475	(point near4 multipoint).clm. or (passive with optical with network\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:16
L16	15	L14 and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:21
L17	25	L14 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:21
L18	3	L15 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 12:25